



Husqvarna R 200iX

Multipurpose for the multitaskers, the Rider R 200iX leads the shift towards electric riding lawn mowers. Dynamic mowing mode autonomously adapts to suit any lawn condition for an even cut, while SavE intelligently optimises battery use for class-leading capacity and efficiency. The fully electric, belt-free drive system reduces maintenance and produces zero direct Co2 emissions during use. Maximise your productivity with its premium features, customisable settings and optional attachments.

Automatic blade engagement

The blades are engaged automatically, when you lower the cutting deck.

Dual battery option

Possibility to add an extra battery to extend the runtime

100 % battery powered

The fully electric, belt-free drive system reduces maintenance.



Intuitive control panel

All controls, including the cutting height adjustment and jog-wheel are ergonomically located and easy to reach from the operator's seat. The blades are engaged automatically when the cutting deck is lowered.

FEATURES

- The fully electric, belt-free drive system reduces maintenance.
- Possibility to add an extra battery to extend the runtime
- Automatic blade engagement
- All controls, including the cutting height adjustment and jog-wheel are ergonomically located and easy to reach from the operator's seat. The blades are engaged automatically when the cutting deck is lowered.
- Service position on the cutting deck facilitates cleaning and service.
- Dynamic mowing mode will give the user maximum efficiency and performance without any manual operations. Each cutting blade motor is controlled individually resulting in a optimized runtime and evenly cut lawn.
- LED lights indicate charging status.
- Automatic parking break
- 14-inch wheels both front and back provide optimal riding comfort, great accessibility and less risk of damaging delicate surfaces.
- The battery power riders requires less maintenance compared to petrol machines. No fuel, no oil and no belt service.
- Battery-power means silent operation and improved user comfort as well as less noise impact on neighbours.
- Aan de voorzijde gemonteerd maaidek voor optimale toegankelijkheid.
- The rear axle is pivoting to get maximum traction on the drive wheels and a smooth ride also on uneven surfaces.
- Combi maaidek
- The intuitive display communicates with the driver through visual symbols and warning sounds, assists in handling and gives real time data and warnings.
- BioClip® modus voor oppervlakken die vaak gemaaid worden.
- Min. clearance circle by articulated steering
- Bottle holder
- Intuitive user interface with jog-wheel to interact with your machine.
- Conveniently charge multiple devices using the USB outlets in the storage compartment.
- The left-hand storage is easy to access while mowing. Includes storage lid for extra weather protection.
- Electric motors individually control each blade for improved runtime and performance.
- Kies de stand savE™ voor maximale looptijd
- Efficiënt achterwielaandrijving systeem

Technical Specifications	
ACCU	
Accu capaciteit	38.5 Ah
Accufabrikant	Husqvarna
Accu gewicht	17 kg
Type accu	Li-Ion
Accuspanning	50.4 V
Aantal batterijen/accu	1 stuks
AFMETINGEN	
Basismachine, hoogte	113 cm
Basismachine, lengte	199 cm
Basismachine, breedte	89 cm
Maaithoogten	10
Hoogte boven de grond	100 mm
Totaal sleepgewicht	110 kg
Bandenmaat, voor	170/60-8
Bandenmaat, achter	170/60-8
Gewicht	186 kg
Gewicht (excl. Snoel-uitrusting)	186 kg
Wielbasis	90.7 cm
UITRUSTING	
12V contact	Nee
Mesinschakeling	Elektrisch
Bekerhouder	Ja
Maaithoogten instelling	Lever, while seated
Rijmethode	Dual pedal-operation
Aandrijfsysteem	Achterwielaandrijving
Inklapbare stoel	Ja
Koplampen	Nee
Scharnierende armleuningen	Not available
Urenteller	Digitaal
Stoelverstelling	Gereedschapsloos
Stoelvering	Ja
Service positie	Ja
Technisch platvorm	Volta 200
Wielbasis	90.7 cm
SMEERMIDDEL	
Type brandstof	Battery
MATERIALEN	
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g

Technical Specifications	
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
VERPAKKING	
Hoeveelheid in omverpakking	1

ACCESSORIES



HUSQVARNA LADINGHOUDER
594 98 83-01



OPRIJPLATEN
505 69 90-41



OPRIJPLATEN
505 69 90-43



OPRIJPLATEN
505 69 90-40



OPRIJPLATEN
505 69 90-42



OPRIJPLATEN
505 69 90-45



HUSQVARNA CUTTING DECK -
C94|
970 65 00-01

538 89 99-01



HUSQVARNA CUTTING DECK -
C103|
970 65 01-01