



## Husqvarna TS 114

Purposely engineered for ease of use, this reliable garden tractor delivers an exceptional mowing experience on any large lawn – even in narrow passages. Achieve excellent results without straining your body thanks to its ergonomically placed levers, side-by-side pedals and spring-assisted cutting deck. Conveniently compact for optimised storage, maintenance and operation, enjoy trouble-free ownership and a perfectly cut lawn.



### Adjustable driver seat

Tool-less adjustment of seat position.



### Hour meter

Helps you having control over service and maintenance intervals.

### Dual headlights

Dual headlights at the front.



### Side discharge cutting deck

Equipped with a 95cm side discharge cutting deck.



## FEATURES

- Dual headlights at the front.
- Helps you having control over service and maintenance intervals.
- Tool-less adjustment of seat position.
- Equipped with a 95cm side discharge cutting deck.
- Easy-access controls and plenty of leg room thanks to the adjustable seat. The spring assisted height adjustment cutting deck makes it easy to operate.
- The cutting deck is equipped with anti-scalp wheels, which reduce the risk of scalping when cutting uneven lawns.
- Compact design for effortless navigation in narrow passages and easy storage while not in use.
- Safe and convenient access to the mow in reverse functionality.
- Fuel level window makes it easy to check the fuel level.
- Dual pedal drive for better drive control and easy, intuitive operation.
- Controls levers on one side make it easier to get in and out of the seat.
- Towing hook Included for multiple rear attachments.
- Easy engagement of cutting blades; simply pull the switch on the control panel.
- Turn key start
- Easy speed and direction control with pedal-operated hydrostatic transmission. Separate pedals for forward and reverse.
- Easy accessible cutting height adjustment for improved ergonomics. The spring-assisted cutting deck makes adjustment easier.

| Technical Specifications                   |                                       |
|--------------------------------------------|---------------------------------------|
| <b>ACCU</b>                                |                                       |
| Accu capaciteit                            | 20 Ah                                 |
| Accuspanning                               | 12 V                                  |
| <b>CAPACITEIT</b>                          |                                       |
| Netto vermogen bij afgesteld toerental, kW | Revolutions per minute                |
|                                            | 2800 t/pm                             |
| Uitgangsvermogen                           | 9.0 kW                                |
| <b>AFMETINGEN</b>                          |                                       |
| Artikel brutogewicht                       | 209000 g                              |
| Artikel nettogewicht                       | 169000 g                              |
| Basismachine, hoogte                       | 110 cm                                |
| Basismachine, lengte                       | 168 cm                                |
| Basis machine, breedte                     | 119 cm                                |
| Basismachine, breedte                      | 92 cm                                 |
| Maaithoogte-instelling                     | Gemonteerde bumper                    |
| Maaithoogten instelling                    | Lever, while seated                   |
| Maaithoogten                               | 6                                     |
| Maaibreedte                                | 95 cm                                 |
| Rugleuning hoogte                          | Medium                                |
| Bandenmaat, voor                           | 15x6-6                                |
| Bandenmaat, achter                         | 18x8.5-8                              |
| Gewicht                                    | 184 kg                                |
| Wielbasis                                  | 115 cm                                |
| <b>MOTOR</b>                               |                                       |
| Cilinders                                  | 1                                     |
| Cilinder inhoud                            | 452 cm <sup>3</sup>                   |
| Motor merk                                 | Husqvarna                             |
| Koeling motor                              | Lucht                                 |
| Type motor                                 | HS 452AE                              |
| Generator                                  | 12 A                                  |
| Motor                                      | Husqvarna                             |
| Transmissie fabrikant                      | Hydro-Gear                            |
| Transmissie model                          | T2                                    |
| Versnelling, type                          | Hydrostatische                        |
| Benzinetank inhoud                         | 6 l                                   |
| Volume brandstoftank                       | 1.59 gal (VS)                         |
| <b>UITRUSTING</b>                          |                                       |
| Type luchtfilter                           | Cartridge met een voorfilter          |
| Anti-scalp wielen                          | 2                                     |
| BioClip® kit                               | Verkrijgbaar als accessoire           |
| Mesinschakeling                            | Elektrische koppeling                 |
| Messen type                                | Discharge                             |
| Messen                                     | 2 stuks                               |
| Opvangbak                                  | Verkrijgbaar als accessoire           |
| Bekrhouder                                 | Ja                                    |
| Maaidek type                               | Stamped                               |
| Maaimethodes                               | Verzamelen/BioClip®/zijkant uitwerpen |
| Waspoort maaidek                           | Ja                                    |
| Deflector                                  | No                                    |
| Rijmethode                                 | Dual pedal-operation                  |
| Voorzijde bescherming                      | Available as accessory                |
| Generator                                  | 12 A                                  |
| Koplampen                                  | Ja                                    |
| Urenteller                                 | Digitaal                              |
| Mulch inzetstuk                            | Verkrijgbaar als accessoire           |
| Poedergecoat maaidek                       | Nee                                   |
| Zitting type                               | Standaard                             |

## Technical Specifications

|                                |                      |
|--------------------------------|----------------------|
| <b>SMEERMIDDEL</b>             |                      |
| Motorolie type                 | Druk met oliefilter  |
| Positie brandstoftank          | Voorzijde            |
| Olie capaciteit                | 1.2 l                |
| Oliefilter                     | Ja                   |
| Type brandstof                 | Petrol               |
| <b>MATERIALEN</b>              |                      |
| Materiaal maaidek              | Staal                |
| Master pack: Paper + Cardboard | 0 g                  |
| Metal total                    | 0 g                  |
| Paper + Cardboard total        | 0 g                  |
| PE total                       | 0 g                  |
| PET total                      | 0 g                  |
| Plastic foil                   | 0 g                  |
| Plastic rigid                  | 0 g                  |
| Plastic total                  | 0 g                  |
| PS/EPS/HIPS total              | 0 g                  |
| Materiaal stoel                | PU                   |
| <b>VERPAKKING</b>              |                      |
| Verpakkingshoogte              | 850 mm               |
| Verpakkingslengte              | 1700 mm              |
| Verpakkingsvolume              | 1640 dm <sup>3</sup> |
| Verpakkingsbreedte             | 1135 mm              |
| Hoeveelheid in omverpakking    | 1                    |

## ACCESSORIES



TRAILER 275  
501 00 82-01



MULCH COVER  
538 89 88-01



OPRIJPLATEN  
505 69 90-41



OPRIJPLATEN  
505 69 90-43



ACCULADER BC 0.8  
579 45 01-01



TRACTOR BUMPER  
538 89 94-01



TRAILER  
967 02 71-01




AFDEKZEIL VOOR TRACTOR  
505 63 08-80



STROOIER 30  
589 40 93-01



VERTICUTEERHARK  
586 63 66-01



GRINDEG  
953 51 24-01



BELUCHTER  
586 63 67-02



AANHANGWAGEN PROF  
953 5117-02



OPRIJPLATEN  
505 69 90-40