



Husqvarna TC 114

This reliable effective garden tractor maximises the feeling and finish of every cut. Packed with carefully selected features for an enhanced sit-in experience, its easy-to-reach levers, side-by-side pedals and spring-assisted cutting deck let you cut in comfort. Mow more for longer with its 250L bagging capacity, get more jobs done with its towing hook and free up storage space thanks to its compact design. Husqvarna quality for ease of use, maintenance and outstanding results.



Adjustable driver seat

Tool-less adjustment of seat position.



Dual headlights

Dual headlights at the front.

Hour meter

Helps you having control over service and maintenance intervals.



Ergonomic driving position

Easy-access controls and plenty of leg room thanks to the adjustable seat. The spring assisted height adjustment cutting deck makes it easy to operate.



FEATURES

- Helps you having control over service and maintenance intervals.
- Dual headlights at the front.
- Tool-less adjustment of seat position.
- Easy-access controls and plenty of leg room thanks to the adjustable seat.The spring assisted height adjustment cutting deck makes it easy to operate.
- The cutting deck is equipped with anti-scalp wheels, which reduce the risk of scalping when cutting uneven lawns.
- Compact design for effortless navigation in narrow passages and easy storage while not in use.
- Safe and convenient access to the mow in reverse functionality.
- Fuel level window makes it easy to check the fuel level.
- Dual pedal drive for better drive control and easy, intuitive operation.
- Controls levers on one side make it easier to get in and out of the seat.
- Towing hook Included for multiple rear attachments.
- Large bag collects your grass clippings, leaving a clean lawn as a result.
- Easy engagement of cutting blades; simply pull the switch on the control panel.
- Easy speed and direction control with pedal-operated hydrostatic transmission. Separate pedals for forward and reverse.
- Turn key start
- Easy accessible cutting height adjustment for improved ergonomics. The spring-assisted cutting deck makes adjustment easier.

Technical Specifications		
ACCU		
Accu capaciteit		20 Ah
Accuspanning		12 V
CAPACITEIT		
Netto vermogen bij afgesteld toerental, kW	Revolutions per minute	2800 t/pm
Uitgangsvermogen		9.0 kW
AFMETINGEN		
Opvangcapaciteit		250 l
Maaihoogte-instelling		Gemonteerde bumper
Maaihoogten instelling		Lever, while seated
Maaihoogten		6
Maai breedte		95 cm
Rugleuning hoogte		Medium
Bandenmaat, voor		15x6-6
Bandenmaat, achter		18x8.5-8
MOTOR		
Cilinders		1
Cilinder inhoud		452 cm³
Motor merk		Husqvarna
Koeling motor		Lucht
Type motor		HS 452AE
Generator		12 A
Motor		Husqvarna
Transmissie fabrikant		Hydro-Gear
Transmissie model		T2
Versnelling, type		Hydrostatische
Benzinetank inhoud		6 l
Volume brandstoftank		1.59 gal (VS)
UITRUSTING		
Type luchtfilter		Cartridge met een voorfilter
Anti-scalp wielen		2
BioClip® kit		Verkrijgbaar als accessoire
Mesinschakeling		Elektrische koppeling
Messen		2 stuks
Opvangbak		Meegeleverd
Bekerhouder		Ja
Maaidek type		Stamped
Maaimethodes		Verzamelen/BioClip®/achterkant uitwerpen
Waspoort maaidek		Ja
Deflector		Verkrijgbaar als accessoire
Rijmethode		Dual pedal-operation
Voorzijde bescherming		Available as accessory
Generator		12 A
Koplampen		Ja
Urenteller		Digitaal
Mulch inzetstuk		Verkrijgbaar als accessoire
Poedergecoat maaidek		Nee
Zitting type		Standaard
SMEERMIDDEL		
Motorolie type		Druk met oliefilter
Positie brandstoftank		Voorzijde
Oliefilter		Ja
Type brandstof		Petrol
MATERIALEN		

Technical Specifications	
Materiaal maaidek	Staal
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
Materiaal stoel	PU
VERPAKKING	
Verpakkingshoogte	850 mm
Verpakkingslengte	1700 mm
Verpakkingsbreedte	1135 mm
Hoeveelheid in omverpakking	1

ACCESSORIES



DEFLECTOR
538 89 93-01



TRACTOR BUMPER
538 89 94-01



TRAILER
967 02 71-01



ACCULADER BC 0.8
579 45 01-01




OPRIJPLATEN
505 69 90-41



OPRIJPLATEN
505 69 90-43



BELUCHTER
586 63 67-02



GRINDEG
953 51 24-01



STROOIER 30
589 40 93-01



TRO043- MULCH PLUG
538 89 89-01



AFDEKZEIL VOOR TRACTOR
505 63 08-80



TRAILER 275
501 00 82-01



AANHANGWAGEN PROF
953 5117-02



VERTICUTEERHARK
586 63 66-01



OPRIJPLATEN
505 69 90-40